



# SANGAM



# TECHNICAL INFORMATION

Parameter	Details
Composition	100% Polyester
Width	54"
Abraison	In excess of 50,000 cycles (800g / 12Kpa) Martindale
Fastness to Light	5+ [BS 1006 (1990)]
Fastness to Rubbing	Wet: 5    Dry: 4.5
Maintenance	Professional cleaning is recommended
Fabric GSM	250 - 350
Colour Matching	Batch to batch variations in shade may occur within commercial tolerances

## OPTIONAL TREATMENT

1.Flame Retardant Finish  
BS EN1021-1 : 1994 (Cigarette)  
BS 7176 : 1995 Low Hazard

2. Water Repellent  
AATCC - 118

### AS PER DYEING / PROCESS HOUSE DECLARATION

All Chemicals & Dyes  
Eco Friendly & It Is Not Harmful For Human Health

**ASADEEP FURNISHING PRIVATE LIMITED**  
MANGOL PURI INDUSTRIAL AREA, BA-19,  
PHASE-II, NORTH WEST DELHI



+ 91-7373 9292 38




[www.asadeep.com](http://www.asadeep.com)

# SANGAM



SANGAM 01



SANGAM 02



SANGAM 03



SANGAM 04



SANGAM 05




SANGAM 06



SANGAM 07



SANGAM 08



SANGAM 09



SANGAM 10



SANGAM 11



SANGAM 12



SANGAM 13




SANGAM 14



SANGAM 15



SANGAM 16



SANGAM 17



SANGAM 18



SANGAM 19



SANGAM 20



SANGAM 21



SANGAM 22



SANGAM 23



SANGAM 24



SANGAM 25



SANGAM 26



SANGAM 27



SANGAM 28



SANGAM 29



SANGAM 30

# DISCLAIMER

All fabric colours shown in this catalogue are digitally rendered for reference purposes. Due to variations in screen resolution and display settings, actual fabric colour may vary from the digital swatches or images shown.

We strongly recommend referring to the physical fabric catalogue before making any final purchasing decision.

Please Note:

- The design scale depicted may not be accurate.
- No claims will be accepted regarding color or design mismatches between the digital representation and the actual fabric.