



WEATHER DURABLE

## TECHNICAL INFORMATION

Parameter	Details
Composition	Polyester
Width	54"
Abrasion	In excess of 50,000 cycles (800g / 12Kpa) Martindale
Fastness to Light	5+ [BS 1006 (1990)]
Fastness to Rubbing	Wet: 5 Dry: 4.5
Maintenance	Professional cleaning is recommended
Fabric GSM	350
Colour Matching	Batch to batch variations in shade may occur within commercial tolerances

## OPTIONAL TREATMENT

### 1.Flame Retardant Finish

BS EN1021-1 : 1994 (Cigarette)  
BS 7176 : 1995 Low Hazard

### 2. Water Repellent

AATCC - 118

## AS PER DYEING / PROCESS HOUSE DECLARATION

All Chemicals & Dyes  
Eco Friendly & It Is Not Harmful For Human Health

**ASADEEP FURNISHING PRIVATE LIMITED**  
MANGOL PURI INDUSTRIAL AREA, BA-19,  
PHASE-II, NORTH WEST DELHI



+ 91-7373 9292 38



[www.asadeep.com](http://www.asadeep.com)

# WEATHER DURABLE



WEATHER  
DURABLE 09



WEATHER  
DURABLE 30



WEATHER  
DURABLE 38



WEATHER  
DURABLE 00



WEATHER  
DURABLE 26



WEATHER  
DURABLE 39



WEATHER  
DURABLE 50




WEATHER  
DURABLE 32



WEATHER  
DURABLE 36



WEATHER  
DURABLE 51



WEATHER  
DURABLE 16



WEATHER  
DURABLE 19



WEATHER  
DURABLE 08



WEATHER  
DURABLE 34



WEATHER  
DURABLE 63



WEATHER  
DURABLE 17



WEATHER  
DURABLE 31



WEATHER  
DURABLE 29



WEATHER  
DURABLE 10

# DISCLAIMER

All fabric colours shown in this catalogue are digitally rendered for reference purposes. Due to variations in screen resolution and display settings, actual fabric colour may vary from the digital swatches or images shown.

We strongly recommend referring to the physical fabric catalogue before making any final purchasing decision.

Please Note:

- The design scale depicted may not be accurate.
- No claims will be accepted regarding color or design mismatches between the digital representation and the actual fabric.